

### Rare bird report in Maine-et-Loire

**Proposed species**

Number : ..... Sex : ...m. ...f. Age : .....ad. ....juv. ....imm.

**Spot :**

Place : ..... Town/village : .....

Department : Maine-et-Loire .....

**DATE**

Time : .....

Other dates for the same bird(s) : .....

**Name of the author of this report**

Address : .....

.....

.....

e-mail : .....

**Other birdwatchers :** .....

.....

Bird found by : ..... Identified by : .....

Has the bird been captured ? ..... When ? .....

stored ? ..... Where ? .....

photographed ? ..... Who ? .....

Used optical devices : .....

Distance bird(s)/birdwatcher : .....

Weather : .....

Type of environment : .....

.....

Previous knowledge of the species :  YES  NO

Known related species : .....

.....

Circumstances of the record : .....

.....

.....

.....

.....

.....

.....

### DESCRIPTION



## Species to report in Maine-et-Loire

1-1-06

<p><b>Bewick's Swan</b> <i>Cygnus columbianus</i></p> <p><b>Whooper Swan</b> <i>Cygnus cygnus</i></p> <p><b>Tundra Bean Goose</b> <i>Anser f. rossicus</i></p> <p><b>White-fronted Goose</b> <i>Anser albifrons</i></p> <p><b>Barnacle Goose</b> <i>Branta leucopsis</i></p> <p><b>*Pacific Brent Goose</b> <i>Branta (bernicla) nigricans</i></p> <p><b>Ruddy Shelduck</b> <i>Tadorna ferruginea</i></p> <p><b>Red-crested Pochard</b> <i>Netta rufina</i></p> <p><b>Ring-necked Duck</b> <i>Aythya collaris</i></p> <p><b>Ferruginous Duck</b> <i>Aythya nyroca</i></p> <p><b>Greater Scaup</b> <i>Aythya marila</i> <span style="float: right; border: 1px solid black; padding: 0 2px;">4</span></p> <p><b>Long-tailed Duck</b> <i>Clangula hyemalis</i></p> <p><b>Common Scoter</b> <i>Melanitta nigra</i></p> <p><b>Velvet Scoter</b> <i>Melanitta fusca</i></p> <p><b>Red-breasted Merganser</b> <i>Mergus serrator</i></p> <p><b>Ruddy Duck</b> <i>Oxyura jamaicensis</i></p> <p><b>Black-throated Diver</b> <i>Gavia arctica</i></p> <p><b>Great Northern Diver</b> <i>Gavia immer</i></p> <p><b>Red-necked Grebe</b> <i>Podiceps grisegena</i></p> <p><b>Slavonian Grebe</b> <i>Podiceps auritus</i></p> <p><b>*Fulmar</b> <i>Fulmarus glacialis</i></p> <p><b>*Cory's Shearwater</b> <i>Calonectris diomedea</i></p> <p><b>*Great Shearwater</b> <i>Puffinus gravis</i></p> <p><b>*Sooty Shearwater</b> <i>Puffinus griseus</i></p> <p><b>*Manx Shearwater</b> <i>Puffinus puffinus</i></p> <p><b>*Balearic/Yelkouan Shearwater</b> <i>Puffinus yelkouan</i></p> <p><b>**European Storm-petrel</b> <i>Hydrobates pelagicus</i></p> <p><b>Leach's Storm-petrel</b> <i>Oceanodroma leucorhoa</i></p> <p><b>Northern Gannet</b> <i>Morus bassanus</i></p> <p><b>*Shag</b> <i>Phalacrocorax aristotelis</i></p> <p><b>Great Bittern</b> <i>Botaurus stellaris</i></p> <p><b>Little Bittern</b> <i>Ixobrychus minutus</i></p> <p><b>Squacco Heron</b> <i>Ardeola ralloides</i></p> <p><b>Glossy Ibis</b> <i>Plegadis falcinellus</i></p> <p><b>Greater Flamingo</b> <i>Phoenicopterus (ruber) roseus</i></p> <p><b>White-tailed Eagle</b> <i>Haliaeetus albicilla</i></p> <p><b>*Lammergeier</b> <i>Gypaetus barbatus</i></p> <p><b>**Egyptian Vulture</b> <i>Neophron percnopterus</i></p> <p><b>**Griffon Vulture</b> <i>Gyps fulvus</i></p> <p><b>**Golden Eagle</b> <i>Aquila chrysaetos</i></p> <p><b>Booted Eagle</b> <i>Hieraaetus pennatus</i></p> <p><b>*Lesser Kestrel</b> <i>Falco naumanni</i></p> <p><b>Bonelli's Eagle</b> <i>Hieraaetus fasciatus</i></p> <p><b>Red-footed Falcon</b> <i>Falco tinnunculus</i></p> <p><b>*Eleonora's Falcon</b> <i>Falco eleonorae</i></p> <p><b>Spotted Crake</b> <i>Porzana porzana</i> <span style="float: right; border: 1px solid black; padding: 0 2px;">1</span></p> <p><b>Little Crake</b> <i>Porzana parva</i></p> <p><b>*Purple Gallinule</b> <i>Porphyrio porphyrio</i></p> <p><b>Collared Pratincole</b> <i>Glareola pratincola</i></p> <p><b>Kentish Plover</b> <i>Charadrius alexandrinus</i></p> <p><b>Dotterel</b> <i>Charadrius morinellus</i></p> <p><b>Temminck's Stint</b> <i>Calidris temminckii</i></p> <p><b>Pectoral Sandpiper</b> <i>Calidris melanotos</i></p> <p><b>*Purple Sandpiper</b> <i>Calidris maritima</i></p> <p><b>Marsh Sandpiper</b> <i>Tringa stagnatilis</i></p> <p><b>Red-necked Phalarope</b> <i>Phalaropus lobatus</i></p> <p><b>Grey Phalarope</b> <i>Phalaropus fulicarius</i></p> <p><b>Great Skua</b> <i>Catharacta skua</i></p> <p><b>Pomarine Skua</b> <i>Stercorarius pomarinus</i></p> <p><b>Arctic Skua</b> <i>Stercorarius parasiticus</i></p> <p><b>*Long-tailed Skua</b> <i>Stercorarius longicaudus</i></p> <p><b>Sabine's Gull</b> <i>Larus sabini</i></p> <p><b>*Slender-billed Gull</b> <i>Larus genei</i></p> <p><b>*Audouin's Gull</b> <i>Larus audouinii</i></p> <p><b>*Ring-billed Gull</b> <i>Larus delawarensis</i></p> <p><b>Pontic Gull</b> <i>Larus cachinnans</i></p> <p><b>Glaucous Gull</b> <i>Larus hyperboreus</i></p> <p><b>Kittiwake</b> <i>Rissa tridactyla</i></p> <p><b>Gull-billed Tern</b> <i>Gelochelidon nilotica</i></p> <p><b>Dougall's Tern</b> <i>Sterna dougallii</i></p>	<p><b>Arctic Tern</b> <i>Sterna paradisaea</i></p> <p><b>White-winged Black Tern</b> <i>Chlidonias leucopterus</i></p> <p><b>**Guillemot</b> <i>Uria aalge</i></p> <p><b>*Razorbill</b> <i>Alca torda</i></p> <p><b>Little Auk</b> <i>Alle alle</i></p> <p><b>*Puffin</b> <i>Fratercula arctica</i></p> <p><b>Great Spotted Cuckoo</b> <i>Clamator glandarius</i></p> <p><b>Scops Owl</b> <i>Otus scops</i></p> <p><b>*Tengmalm's Owl</b> <i>Aegolius funereus</i></p> <p><b>*Pallid Swift</b> <i>Apus pallidus</i></p> <p><b>Alpine Swift</b> <i>Apus melba</i></p> <p><b>Bee-eater</b> <i>Merops apiaster</i></p> <p><b>Roller</b> <i>Coracias garrulus</i></p> <p><b>Grey-headed Woodpecker</b> <i>Picus canus</i></p> <p><b>*Calandra Lark</b> <i>Melanocorypha calandra</i></p> <p><b>**Short-toed Lark</b> <i>Calandrella brachydactyla</i></p> <p><b>*Thekla Lark</b> <i>Galerida theklae</i></p> <p><b>Horned Lark</b> <i>Eremophila alpestris</i></p> <p><b>*Crag Martin</b> <i>Ptyonoprogne rupestris</i></p> <p><b>Red-rumped Swallow</b> <i>Hirundo daurica</i></p> <p><b>*Richard's Pipit</b> <i>Anthus richardi</i></p> <p><b>Tawny Pipit</b> <i>Anthus campestris</i> <span style="float: right; border: 1px solid black; padding: 0 2px;">2</span></p> <p><b>Red-throated Pipit</b> <i>Anthus cervinus</i></p> <p><b>Rock Pipit</b> <i>Anthus petrosus</i></p> <p><b>Bohemian Waxwing</b> <i>Bombycilla garrulus</i></p> <p><b>*Dipper</b> <i>Cinclus cinclus</i></p> <p><b>Alpine Accentor</b> <i>Prunella collaris</i></p> <p><b>Bluethroat</b> <i>Luscinia svecica</i></p> <p><b>*Black-eared Wheatear</b> <i>Oenanthe hispanica</i></p> <p><b>*Rock Thrush</b> <i>Monticola saxatilis</i></p> <p><b>*Blue Rock Thrush</b> <i>Monticola solitarius</i></p> <p><b>Savi's Warbler</b> <i>Locustella luscinioides</i></p> <p><b>*Moustached Warbler</b> <i>Acrocephalus melanopogon</i></p> <p><b>*Aquatic Warbler</b> <i>Acrocephalus paludicola</i></p> <p><b>Marsh Warbler</b> <i>Acrocephalus palustris</i></p> <p><b>Great Reed Warbler</b> <i>Acrocephalus arundinaceus</i></p> <p><b>*Icterine Warbler</b> <i>Hippolais icterina</i></p> <p><b>*Spectacled Warbler</b> <i>Sylvia conspicillata</i></p> <p><b>Subalpine Warbler</b> <i>Sylvia cantillans</i></p> <p><b>*Sardinian Warbler</b> <i>Sylvia melanocephala</i></p> <p><b>**Orphean Warbler</b> <i>Sylvia hortensis</i></p> <p><b>Lesser Whitethroat</b> <i>Sylvia curruca</i></p> <p><b>*Yellow-browed Warbler</b> <i>Phylloscopus inornatus</i></p> <p><b>Iberian Chiffchaff</b> <i>Phylloscopus ibericus</i></p> <p><b>*Red-breasted Flycatcher</b> <i>Ficedula parva</i></p> <p><b>*Collared Flycatcher</b> <i>Ficedula albicollis</i></p> <p><b>Bearded Tit</b> <i>Panurus biarmicus</i></p> <p><b>Willow Tit</b> <i>Parus montanus</i></p> <p><b>Wallcreeper</b> <i>Tichodroma muraria</i></p> <p><b>*Eurasian Treecreeper</b> <i>Certhia familiaris</i></p> <p><b>Penduline Tit</b> <i>Remiz pendulinus</i></p> <p><b>Lesser Grey Shrike</b> <i>Lanius minor</i></p> <p><b>Northern Grey Shrike</b> <i>Lanius excubitor</i></p> <p><b>*Southern Grey Shrike</b> <i>Lanius meridionalis</i></p> <p><b>Nutcracker</b> <i>Nucifraga caryocatactes</i></p> <p><b>*Yellow-billed Chough</b> <i>Pyrrhocorax graculus</i></p> <p><b>*Red-billed Chough</b> <i>Pyrrhocorax pyrrhocorax</i></p> <p><b>Raven</b> <i>Corvus corax</i></p> <p><b>Hooded Crow</b> <i>Corvus cornix</i></p> <p><b>Spotless Starling</b> <i>Sturnus unicolor</i></p> <p><b>Rock Sparrow</b> <i>Petronia petronia</i> <span style="float: right; border: 1px solid black; padding: 0 2px;">3</span></p> <p><b>*Snowfinch</b> <i>Montifringilla nivalis</i></p> <p><b>*Citril Finch</b> <i>Serinus citrinella</i></p> <p><b>Twite</b> <i>Carduelis flavirostris</i></p> <p><b>Common Redpoll</b> <i>Carduelis fl. flammea</i> <span style="float: right; border: 1px solid black; padding: 0 2px;">5</span></p> <p><b>Lapland Longspur</b> <i>Calcarius lapponicus</i></p> <p><b>Snow Bunting</b> <i>Plectrophenax nivalis</i></p> <p><b>Rock Bunting</b> <i>Emberiza cia</i></p> <p><b>Ortolan Bunting</b> <i>Emberiza hortulana</i></p>
--	---

and **\*Pale-bellied Brent Goose** *Branta bernicla hrota*  
**Wagtails** *Motacilla flava* ssp. (other than *flava* & *flavissima*)  
**northern Chiffchaffs** *Phylloscopus collybita tristis/abietinus*

Caption

1 : visual contact, 2 : out of Saumurois region, 3 : out of Fontevraud, 4 : female, 5 : except cabaret  
 \* : no data in M.-et-L., \*\* : data before 1960

**Rarer species have to be reported to the national rarities committee**  
**<chn@lpo.fr>**

**Presence of the non-sedentary species in Maine-et-Loire**

(out of these periods, please report these species)

updated: 9-11-05

	from	to	+	from	to		from	to	+	from	to
<b>Brent Goose</b>	1-10	31-3				<b>Common Cuckoo</b>	1-3	30-9			
<b>Wigeon</b>	25-8	27-4				<b>European Nightjar</b>	15-4	30-9			
<b>Garganey</b>	20-2	15-10				<b>Common Swift</b>	1-4	15-9			
<b>Greater Scaup</b>	15-9	30-4				<b>Hoopoe</b>	5-3	30-9			
<b>Quail</b>	24-4	(15-9)				<b>Wryneck</b>	1-4	30-9			
<b>Red-throated Diver</b>	30-10	15-4				<b>Sand Martin</b>	5-3	25-10			
<b>Black-necked Grebe</b>	15-7	15-5				<b>Barn Swallow</b>	6-3	5-11			
<b>Purple Heron</b>	20-3	30-9				<b>House Martin</b>	10-3	7-11			
<b>Black Stork</b>	1-3	15-10				<b>Tawny Pipit</b>	15-4	30-9			
<b>Honey Buzzard</b>	20-4	7-10				<b>Tree Pipit</b>	20-3	15-10			
<b>Black Kite</b>	25-2	15-9				<b>Water Pipit</b>	25-9	16-4			
<b>Short-toed Eagle</b>	10-3	(15-9)				<b>Blue-headed Wagtail</b>	20-3	31-10			
<b>Montagu's Harrier</b>	1-4	20-9				<b>Yellow Wagtail</b>	25-3	25-9			
<b>Merlin</b>	1-10	30-4				<b>Pied Wagtail</b>	20-9	10-4			
<b>Hobby</b>	1-4	31-10				<b>Nightingale</b>	1-4	8-9			
<b>Corncrake</b>	1-4	(30-9)				<b>Common Redstart</b>	15-3	20-10			
<b>(Spotted Crake</b>	8-3	20-9)				<b>Whinchat</b>	15-3	20-10			
<b>Little Bustard</b>	1-3	(25-10)				<b>Northern Wheatear</b>	5-3	15-11			
<b>Little Ringed Plover</b>	10-3	10-11				<b>Ring Ouzel</b>	20-3	2-5			
<b>Great Ringed Plover</b>	20-2	10-11				<b>Fieldfare</b>	5-10	30-4			
<b>Golden Plover</b>	15-7	20-5				<b>Redwing</b>	1-10	15-4			
<b>Knot</b>	20-3	20-10				<b>Grasshopper Warbler</b>	25-3	15-8			
<b>Sanderling</b>	20-4	30-11				<b>Sedge Warbler</b>	1-4	20-9			
<b>Curlew Sandpiper</b>	1-5	20-10				<b>Reed Warbler</b>	14-4	1-10			
<b>Jack Snipe</b>	20-9	10-5				<b>Melodious Warbler</b>	20-4	14-9			
<b>Bar-tailed Godwit</b>	20-3	20-5	+	10-7	30-10	<b>Whitethroat</b>	28-3	25-9			
<b>Black-tailed Godwit</b>	15-1	30-10				<b>Garden Warbler</b>	25-3	16-9			
<b>Whimbrel</b>	20-3	20-9				<b>Bonelli's Warbler</b>	25-3	25-8			
<b>Spotted Redshank</b>	20-2	10-12				<b>Wood Warbler</b>	10-4	16-9			
<b>Greenshank</b>	20-3	10-12				<b>Willow Warbler</b>	10-3	10-10			
<b>Wood Sandpiper</b>	10-3	20-10				<b>Spotted Flycatcher</b>	8-4	10-10			
<b>Turnstone</b>	20-3	10-10				<b>Pied Flycatcher</b>	15-4	20-5	+	12-8	6-10
<b>Common Tern</b>	7-3	24-10				<b>Golden Oriole</b>	15-4	5-9			
<b>Little Tern</b>	10-4	4-10				<b>Red-backed Shrike</b>	15-4	31-8			
<b>Whiskered Tern</b>	5-4	30-6				<b>(Woodchat Shrike</b>	24-4	10-8)			
<b>Black Tern</b>	7-4	26-10				<b>Brambling</b>	10-10	10-4			
<b>Turtle Dove</b>	5-4	5-11				<b>Siskin</b>	3-10	15-4			

(in brackets, very few data in Maine-et-Loire)